


UNIT 2 • LINEAR AND EXPONENTIAL RELATIONSHIPS**Lesson 6: Comparing Functions****Practice 2.6.1: Comparing Linear Functions**

Compare the properties of the linear functions.

1. Which function has a greater rate of change? Which function has the greater y -intercept? Explain how you know.

Function A


x	$f(x)$
-4	12
-1	0
2	-12
3	-16

Function B

2. Which function has a greater rate of change? Which function has the greater y -intercept?

Function A

x	$f(x)$
-8	1
0	2
4	2.5
8	3

Function B**continued**

Name: _____

Date: _____

UNIT 2 • LINEAR AND EXPONENTIAL RELATIONSHIPS


Lesson 6: Comparing Functions

3. Compare the properties of each function.

Function A

$$f(x) = \frac{1}{4}x + 3$$

Function B




4. Compare the properties of each function.

Function A

$$f(x) = -5x$$

Function B



continued

UNIT 2 • LINEAR AND EXPONENTIAL RELATIONSHIPS

Lesson 6: Comparing Functions

5. Compare the properties of each function.

Function A

The table below describes the profit in dollars that a restaurant makes for the beverages it sells.

Number of beverages sold (x)	Profit ($f(x)$)
0	0
25	29.25
50	58.50
75	87.75

Function B

For each hamburger sold, the same restaurant makes a profit of \$0.40.

6. Compare the properties of each function.

Function A

A local newspaper began with a circulation of 1,300 readers in its first year. Since then, its circulation has increased by 150 readers per year.

Function B

The function $g(x) = 225x + 950$ represents the circulation of another newspaper where $g(x)$ represents total subscriptions and x represents the number of years since its first year.

7. Compare the properties of each function.

Function A

A rental store charges \$40 to rent a steam cleaner, plus an additional \$4 per hour.

Function B

The table below shows the total cost in dollars to rent a steam cleaner at a different rental store. $g(x)$ represents the total cost after x hours.

Hours (x)	Total cost ($g(x)$)
3	46
4	53
5	60
6	67

continued

UNIT 2 • LINEAR AND EXPONENTIAL RELATIONSHIPS

Lesson 6: Comparing Functions

8. Compare the properties of each function.


Function A

The table shows the remaining balance in dollars, $f(x)$, of the cost of car repairs after x months.

Months (x)	Remaining balance ($f(x)$)
0	1560
1	1430
2	1300
3	1170

Function B

The graph shows the remaining balance in dollars, $g(x)$, of the cost of car repairs after x months.



9. Compare the properties of each function. What do the rate of change and y -intercept mean in terms of the scenarios?

Function A

The function $f(x) = 7.5 - 0.25x$ represents the pounds of puppy food remaining, $f(x)$, when the puppy is fed the same amount each day for x days.

Function B

The table represents the amount in pounds of puppy food remaining, $g(x)$, when the puppy is fed the same amount each day for x days.

Days (x)	Remaining food ($g(x)$)
4	9
5	8.75
6	8.5
7	8.25

continued

Name: _____

Date: _____

UNIT 2 • LINEAR AND EXPONENTIAL RELATIONSHIPS

Lesson 6: Comparing Functions

10. Compare the properties of each function. What do the rate of change and y -intercept mean in terms of the scenarios?

Function A

Reggie bicycled 15 miles last week and plans to bicycle 20 miles each additional week.

Function B

The graph represents the total number of miles Zac plans to have bicycled by the end of each week.

